


# SB INSULATOR SERIES



# JYZ-SB Insulator Series



## Product Model and Meanings





## Product Features:

Operating Temperature:  $-40^{\circ}\text{C} \sim +140^{\circ}\text{C}$   
 screw nut: Brass. Steel with Zn coating  
 Material: BMC (Bough Moulding Compound)  
 SMC (Sheet Moulding Compound)  
 Color, Nut, material In capability accordance with customer needs  
 SB Half rod series rod length can be customized



### SB-20X20

Surface Diameter	Height	Torque	Thread
21MM	20	12N/M	M6/M8





### SB-20X25

Surface Diameter	Height	Torque	Thread
21MM	25	12N/M	M6/M8





### SB-20X30

Surface Diameter	Height	Torque	Thread
21MM	30	12N/M	M6/M8





### SB-20X35

Surface Diameter	Height	Torque	Thread
21MM	35	12N/M	M6/M8






### SB-20X40

Surface Diameter	Height	Torque	Thread
21MM	40	12N/M	M6/M8



### SB-20X50

Surface Diameter	Height	Torque	Thread
21MM	50	12N/M	M6/M8




## JYZ-SB Series Insulator Order Instruction

1. Need Fit RoSH Standard Or Not
2. Screw Depth and size
3. length of the half Rod
4. Products Height and color can be customized

# JYZ-SB Insulator Series



## Product Model and Meanings





## Product Features:

Operating Temperature: -40°C ~ +140°C  
 screw nut: Brass. Steel with Zn coating  
 Material: BMC (Bough Moulding Compound)  
 SMC (Sheet Moulding Compound)  
 Color, Nut, material In capability accordance with customer needs  
 Installation Screw (Accessory Option)


### SB-14X14

Surface Diameter	Height	Torque	Thread
14MM	14	10N/M	M5/M6





### SBI4X20

Surface Diameter	Height	Torque	Thread
14MM	20	10N/M	M5/M6





### SB-14X25

Surface Diameter	Height	Torque	Thread
14MM	25	10N/M	M5/M6





### SB-14X30

Surface Diameter	Height	Torque	Thread
14MM	30	10N/M	M5/M6






### SB-14X35

Surface Diameter	Height	Torque	Thread
14MM	35	10N/M	M5/M6



### SB-14X40

Surface Diameter	Height	Torque	Thread
14MM	40	10N/M	M5/M6



## JYZ-SB Series Insulator Order Instruction

1. Need Fit RoSH Standard or Not
2. Screw Depth and size
3. length of the half Rod
4. Products Height and color can be customized